

## SKY NURSERY RHODODENDRON LIST 2010

NAME	FLOWER	BLOOM TIME	HT	HABIT	SUN/ SHADE
<b><u>PINKS</u></b>					
Anna Rose Whitney	Rosy pink; large truss	Late May	5-6'	Upright, tall	Sun/part shade
<i>R. arboreum</i> var <i>roseum</i> *	Rosy pink	April	6-7'	Treelike eventually	Sun/part shade
Bambi	Soft salmon pink w/yellow tint; yak hybrid	Late April	30-36"	Low, mounding	Part shade
Bow Bells	Light pink; deep pink buds	Late April	30-36"	Low, mounding	Part shade
Bruce Brechtbill	Pastel pink w/ yellowish tint	Late April	4-5'	Round, dense	Sun/part shade
<i>R. bureavii</i> × <i>yakushimanum</i>	Pale pink from pink buds; rust-colored indumentum	May	3'	Rounded, compact	Sun/part Shade
<i>R. cerasinum</i> 'Cherry Brandy'	Bell shaped flowers, white w/ cherry red picotee edge	May	2-3'	Upright, rounded	Sun/part shade
Christmas Cheer	Light pink; slightly frilled	Late Feb.	3-4'	Round, dense	Sun/part shade
Cilpinense	Shell pink; trumpet shaped	Early April	2-3'	Low, rounded	Sun/part shade
Cotton Candy	Pastel pink; tall truss	Early May	4-6'	Upright, rounded	Sun/part shade
Cupcake	Pink aging to apricot	Mid May	2-3'	Compact, round	Part shade
<i>R. davidsonianum</i> 'Ruth Lyons'	Clear deep pink, funnel-shaped	Late April	5-6'	Upright, open	Part shade
Deep Clover	Pink w/ ruby margins	Early May	2-3'	Rounded	Part shade
Ebony Pearl	Pale pink	May	3-4'	Striking red new foliage	Sun/part shade
Edith Boulter × Dad's Killer	Lilac pink, dark blotch	Late April	4-5'	Upright	Part shade
Elmer's Orphan	Strong pink; holds color well		2-3'	Compact	Sun/part shade
Elsie Watson	Purplish pink w/ purple blotch, darker picotee edge	Late April	3-4'	Rounded	Sun/part shade
Eruption	Deep rose w/ ivory center	Early May	3-4'	Rounded	Part shade
Fantastica	Creamy pink; light red wavy edge	Early May	3-4'	Rounded	Sun/part shade
<i>R. ferrugineum</i> *	Small, tubular, rose to white	Early May	18-24"	Compact	Sun/part shade
<i>R. fortunei</i> *	White, pink, or lavender, fragrant, bell shaped	Early May	5-6'	Eventually Treelike	
<i>R. fortunei</i> 'Emma and May'	Frosty pink, fragrant, open bell-shaped; copper-blue new growth; protect from wind	Early May	5-6'	Compact when young, eventually treelike	Sun/part shade; new, honors WA women's voting rights in 1910
Freckled Friend	Light pink w/ deep pink freckles	Mid May	3-4'	Compact, rounded	Part shade
Freedom Song	Soft pink	May	3-4'	Rounded	Part shade
Frye Butt	Pink	Early May	30-36"	Rounded	Part shade
Furnivall's Daughter	Bright pink w/ deeper blotch	Late April	4-5'	Rounded, tall	Sun/part shade
Ginny Gee	Pink dappled white	Late April	18-24"	Low, rounded	Part shade
Hallelujah	Rose-red; handsome foliage	May	4'	rounded	Part shade; protect from wind
Hardijzer's Beauty	Bright pink	Late April	2-3'	Upright	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

Honsu's Baby	Pale pink	Early April	12-15"	Spreading	Sun/part shade
<b>PINKS (continued)</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
<i>R. irroratum</i> 'Polka Dot	Pink w/ red dots	May	4-5'	Rounded	Part shade
Kabarett	Lilac-pink w/ burgundy blotch	Mid May	4-5'	Rounded	Sun/part shade
Karin	Bright pink	Early May	2-3'	Compact, round	Sun/part shade
Ken Janeck	Very light pink; frilled	Early May	2-3'	Round, dense	Sun/part shade
Kimberly	Pastel pink, fragrant, profuse	Mid April	30-36"	Rounded	Sun/part shade
Kimbeth	Rosy pink, very profuse	Late April	2-3'	Round, compact	Part shade
<i>R. kiusianum</i> (pink selection)	Pale pink	Mid May	1-2'	Compact, round	Part shade
<i>R. kiusianum</i> (SH-P)	Pink	Mid May	12-15"	Dense, spreading	Part shade
Lem's Cameo	Beautiful creamy peach-pink	Early May	4-5'	Upright, rounded	Sun/part shade
Loderi Venus	Medium pink; very fragrant	Early May	5-7'	Large, open	Part/full shade
Lori Eichelser	Cherry pink, bell shaped	Late April	18-24"	Mounding	Part shade
Love Poem	Lavender pink, w/ magenta spots	Early May	2-3'	Spreading	Part shade
<i>R. makinoi</i> (Dover's selection)	Bell-shaped, pink to white, sometimes spotted	Mid May	2-3'	Rounded; superb indumentum	Sun/part shade
Mardi Gras	Pale pink	Early May	2-4'	Rounded	Part shade
<i>R. metternichii</i> × <i>adenopodum</i>	White with pink spots	Early May	4'	Rounded; leaves narrow w/ fawn indumentum	Part shade
Molly Ann	Deep rose; very prolific	Late April	18-24"	Round, dense	Sun/part shade
Morning Bells	Pale clear pink, bell shaped	April	18-24"	Compact	Part shade
Mrs. Charles E. Pearson	Light pink w/ brown spots	Early May	5-7'	Upright, open	Sun/part shade; heat tolerant
Mrs. Furnivall	Light pink w/ strong blotch	Late May	3-4'	Rounded, full	Sun/part shade
Mrs. G. W. Leak	Pink with darker throat	Late April	5-7'	Rounded	Sun/part shade
<i>R. mucronulatum</i> *	Lavender pink	Late February	4-6'	Upright, airy, deciduous	Part shade
<i>R. mucronulatum</i> 'Cornell Pink'	Clear pink	Late February	5-6'	Upright, airy, deciduous	Sun/part shade
<i>R. mucronulatum</i> 'Dwarf Form'	Lavender pink	February	12-18"	Rounded	Sun/part shade
Percy Wiseman	Pink buds open apricot, turn pale pink with yellow blotch	Late April	2-3'	Round, compact	Sun/part shade
Pink Sherbet	Reddish pink fading to white	April	2-3'	Mounding	Sun/part shade
Pink Snowflakes	Pastel pink to white; red buds	Late March	1-2'	Rounded, low	Part shade
Point Defiance	Pink w/ white center; large	Early May	5-6'	Rounded, large	Sun/part shade
Point Fosdick	Fuchsia plum; coppery growth	April	4-5'	Rounded	Sun/part shade
<i>R. racemosum</i> *	White to pale pink; rose buds	April	2-3'	Upright, open	Sun/part shade
<i>R. racemosum</i> 'Rock Rose'	Clear pink	April	4-5'	Upright, open	Sun
Rève Rose	Deep true pink	Late April	3'	Compact, upright	Part shade
<i>R. rex</i> subsp. <i>fictolacteum</i> *	Tubular white, pale lilac or rose w/ crimson spots	Late April	5-6'	Upright; 12" leaves w/ heavy indumentum	Part shade
Rose Elf	Pink with lavender	Late March	12-18"	Spreading, round	Sun/part shade
Seta	Pink bells, pale w/ dark edges	May	5-6'	Upright	Sun/part shade
Silvery Pink	Pink	April	2-3'	Compact	Sun/part shade
Small Gem	Pink and white	Late March	15-18"	Round	Sun/part shade
Sneezy	Soft pink, darker on edges	Early May	2-3'	Round, compact	Part shade
<i>R. spinuliferum</i> *	Red to pink to peach,	May	3-4'	Rounded	

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

	tubular				
<b>PINKS (continued)</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Surrey Heath	Rose pink w/ lighter edge	Early May	2-3'	Round, compact	Sun/part shade
Trude Webster	Beautiful clear pink; giant trusses	Early May	4-5'	Rounded, full	Sun/part shade
Trude Webster × Dad's Killer	Rosy pink	Early May	4-5'	Rounded, full	Sun/part shade
<i>R. uvariifolium</i> *	Bell-shaped or tubular, pale to deep pink; new leaves have silver indumentum	mid March	4'	treelike with long leaves	Part shade; protect from wind
Virginia Richards	Opens pink, changes to yellow w/ crimson blotch; unusual multicolor effect	Early May	3-4'	Round, compact	Sun/part shade
Weston's Aglo (also called Aglo)	Light pink w/ reddish eye	Late April	30-36"	Low, upright	Sun/part shade
Whisperingrose	Carnation-rose; bell shaped	Late April	2-3'	Compact mound	Part shade
Yak × May Day × Rex	Light to medium pink	Early May	3-4'	Compact	Part shade
<i>R. yaku</i> 'Phetteplace'	Pink	Late April	3-5'	Rounded	Part shade
Yaku Prince	Deep pink, aging to pale pink		2-3'	Compact, round	Part shade
Yaku Princess	Blossom pink w/ green spots	Late May	2-3'	Mounding, dense	Part shade
Yaku Sunrise	Pink with rose blotch	Early May	1-2'	Compact	Part shade
Yummy Yak	Peachy pink	April	2-3'	Compact, round	Sun/part shade
<i>R. yunnanense</i> *	Pink to white to lavender	Late April	4-6'	Upright	Sun/part shade
<b>WHITES</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
<i>R. aberconwayi</i> *	White or pink-tinged w/ red spots		2-3'	Upright, open	Sun/part shade
Angel Glow	Pink buds open glowing white	Late April	18-24"	Compact	Part shade
Berg's Queen Bee	White from pink buds	Late April	18-24"	Compact	Sun/part shade
<i>R. bureavii</i> × Sir Charles Lemon	White	May	3-4'	Handsome form	Part shade
Cherry Cheesecake	Bicolor: white with red edges and a red blotch	May	5'	rounded	Part shade
Cunningham's White	White w/ green-yellow blotch	Late May	3-4'	Rounded, compact	Sun/part shade
Dora Amateis	Pure white; spicy fragrance	Late April	30-36"	Rounded, dense	Sun/part shade
<i>R. edgeworthii</i> 'Bodnant'	White; fragrant	April	3-4'	Rounded	Sun/part shade
<i>R. edgeworthii</i> 'Darjeeling Jewel'	White or pink; fragrant	April	2-3'	Upright	Part shade
Eleanor Moody	Cream with a purple blotch	May	4-5'	Rounded	Part Shade
<i>R. formosum</i> *	White	Late April	4-5'		Part shade
Gomer Waterer	Pink buds open pearly white, gradually becoming pure white; golden blotch	Late May	5-6'	Rounded, dense	Sun or part shade; heat tolerant
Hachmann's Charmant	White w/ purplish-pink band	Late April	3-4'	Rounded	Sun/part shade
Harvest Moon	Creamy white; reddish flare	Early May	4-5'	Upright	Sun/part shade
Kodiak	Bright white; tight trusses	Late April	3-4'	Round, dense	Part shade
Loderi King George	Pink fading white; fragrant	Early May	5-7'	Large, open	Part/full shade
Lucy Lou	Pure white; profuse	Late March	2-3'	Upright, rounded	Part shade
<i>R. megaratum</i> *	Bell shaped; creamy to	Late April	12-24"	Compact mound	Part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

	yellow				
<b>WHITES (continued)</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
<i>R. moupinense</i> *	Snow white, w/ red-purple blotch	February to March	18-30"	Open, spreading	Part shade
Mrs. T.H. Lowinsky	White w/ striking brown blotch	Early June	4-5'	Rounded, open	Sun/part shade
Nestucca	Pink buds open white; frilly	Mid May	2-3'	Spreading	Part shade
<i>R. openshawianum</i> *	White	April	5-6'	Upright, treelike	Part shade
Phyllis Korn	White w/ reddish blotch	Mid May	4-5'	Round, upright	Sun/part shade
<i>R. praevernium</i> *	variable: white, pink, or lilac w/ darker blotch	February to March	5-6'	Upright	Part shade
<i>R. recurvoides</i> *	White; white indumentum on leaves turns orangey brown	April to May	1-2'	Rounded	Sun/part shade
<i>R. recurvum</i> *	White with crimson spots	Late April	3'	Upright; narrow pointed leaves	Part shade
<i>R. roxieanum</i> Branklyn Form	Bell shaped; white to pale pink	April	2-3'	Compact; good indumentum	Sun/part shade
Sappho	White w/ deep purple blotch	Early May	5-7'	Rounded, loose	Sun/part shade
Sapporo	White w/ purple blotch from purple buds	Late April	4-5'	Rounded upright	Sun/part shade
Shogun	White w/ deep red center	Early May	2-3'	Compact	Part shade
Silver Bear	White	Late May	2-3'	Compact	Part shade
<i>R. sinogrande</i> *	White w/ red eye	Mid March	5-6'	Upright	Part shade
Sir Charles Lemon	Ivory white	Late April	4-5'	Open	Part shade
Snow Lady	White; slightly fragrant	Late March	24-30"	Rounded, dense	Sun/part shade
<i>R. wiltonii</i> *	Bell shaped; white with red spots; new leaves have white indumentum	Late April	6'	Broadly upright	Part shade
<i>R. yakushimanum</i> 'Koichiro Wada'	Deep pink buds open white; unusual foliage with indumentum	Late April	2' (slow)	compact, rounded habit	Sun/part shade
<b>REDS</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Abendsonne	Orange-red	May	4'	Rounded	Sun/part shade
<i>R. arboreum</i> subsp. <i>arboreum</i> *	Bell-shaped, red to carmine, sometimes pink or white	April	5-6'	Treelike	Part shade; protect from wind
Baden-Baden	Glowing red w/darker center	Early May	18-24"	Spreading, full	Part shade
Barmstedt	Shiny red	Early May	2-3'	Rounded	Sun/part shade
<i>R. beanianum</i> (Sinclair 7-327)	Selection with crimson, bell-shaped flowers	April	3-5'	Rusty orange indumentum	Part shade
Blitz	Dark red	Early May	2-3'	Rounded	Sun/part shade
<i>R. calostrotum</i> 'Gigha'	Rosy red, funnel shaped	May	2-3'	Spreading, low	Part shade
Carmen	Deep red	Late April	10-12"	Spreading	Part shade
<i>R. cinnabarinum</i> Roylei Group	Tubular, blood-red inside, currant-red outside	May	5-6'	Upright, open	Part shade
Dopey	Glossy red, lighter at edge	Late April	30-36"	Upright, dense	Sun/part shade
Double Winner	Red, long-lasting	Late April	4-5'	Upright	Part shade
Elisabeth Hobbie	Scarlet-red, profuse	Late April	24-30"	Round, dense	Sun/part shade
Ethel	Scarlet	May	18" by 3-4' w.	Spreading	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

<b>REDS (continued)</b>	<b>FLOWER</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Fire Rim	Purplish-red w/ yellow interior	Early May	2-3'	Low, spreading	Sun/part shade
Firestorm	Deep red	Late April	36-42"	Dense mounding	Sun/part shade
Fred G. Peste	Light red	Early May	3-4'	Rounded	Sun/part shade
<i>R. forrestii</i> 'Lem's Dark Repens'	Red bells	Mid April	8-12"	Prostrate, spreading	Part shade
<i>R. forrestii</i> var <i>tumescens</i> *	Crimson bells	Mid April	12-16"	Mounding	Part shade
<i>R. fulgens</i> *	Crimson red	Late March	3-4'	Rounded	Sun/part shade
<i>R. glaucophyllum</i> *	Rose to red	Late April	4-5'	Upright	Part shade
Grace Seabrook	Bright red	Early April	3-4'	Rounded	Sun/part shade
(The Honourable) Jean Marie de Montague	Bright red; some say the best red rhody ever bred	Early May	4-5'	Rounded, full	Sun/part shade
Johnny Bender	Bright deep red	Early May	4-5'	Round, upright	Sun/part shade
Landmark	Purple-red w/ scarlet spots	Mid May	3-4'	Compact	Sun/part shade
Linda	Rose red	Early May	2-3'	Rounded	Part shade
Mayday	Orange-scarlet; tan indumentum	Late April	2-3'	Rounded	Part shade
Midnight Ruby	Red-purple	Late April	2'	Rounded upright	Sun/part shade
Mountain Majesty	Rosy red; narrow leaves w/ indumentum	Late April	4'	Rounded	Part shade
Ostbo's Elizabeth	Flame red; new growth is red	Late April	2-3'	Mounding, dense	Sun/part shade
Patriot's Dream	Red	May	18-24"	Compact	Part shade
President Roosevelt	Beautiful red w/white throat	Late April	3-4'	Rounded, full	Sun/part shade
Rosevallon	Red	May	18-24"	Upright	Part shade
Ruby Hart	Dark, waxy red; bell-shaped	Late April	1-2'	Round, compact	Part shade
Scarlet Wonder	Brilliant scarlet; profuse	Early May	18-24"	Compact, mound	Sun/part shade
Skookum	Bright red w/white filaments	Early May	24-30"	Round, compact	Sun/part shade
Small Wonder	Red with lighter center	Mid April	16-18"	Compact	Part shade
Sonata	Orange-red, tubular	Early May	3-4'	Rounded	Likes sun
Taurus	Red w/black speckles; large	Late April	5-6'	Large & full	Sun/part shade
<i>R. thomsonii</i> *	Crimson to wine-red, bell shaped; peeling red bark	Mid April	4-5'	Upright	Part Shade
Titian Beauty	Bright red	Early May	2-3'	Compact, round	Part shade
Trilby	Deep crimson, black blotch	Late May	4-5'	Rounded, full	Sun/part shade
Very Berry	Rose red; huge truss	Mid May	6-7'	Rounded	Sun/part shade
Vulcan	Flame red; rounded truss	Late May	4-5'	Round, dense	Sun/part shade
Wee Bee	Red with strong pink center	May	10-12"	Mounding	Part shade
Wild Affair	Red w/ yellow blotch	May	5-6'	Rounded	Sun/part shade
<b><u>PURPLES, BLUES, AND LAVENDERS</u></b>	<b><u>BLOOMS</u></b>	<b><u>HT</u></b>	<b><u>HABIT</u></b>	<b><u>SUN/SHADE</u></b>	
Anah Kruschke	Deep red-purple; conical truss	Late May	4-6'	Upright, full	Sun/part shade
<i>R. augustinii</i> 'Blue Cloud'	Blue-purple flowers; noted for recurved petals	Late April	5-6'	Upright, open	Sun/part shade
<i>R. augustinii</i> 'Electra'	Bright blue; bell-shaped	Late April	5-6'	Upright, open	Sun/part shade
<i>R. augustinii</i> 'Towercourt'	Violet-blue; bell-shaped	Late April	5-6'	Upright, open	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

<b>PURPLES, BLUES, AND</b>	<b>LAVENDERS (contd.)</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Blaney's Blue	Bright electric blue	Late April	4-5'	Upright, dense	Sun/part shade
Blue Diamond	Bright blue; small, profuse	Late April	30-36"	Upright, dense	Likes sun
Blue Pacific	Blue-purple w/deep blotch	Late May	4-5'	Upright, rounded	Part shade
Blue Peter	Lilac w/purple blotch; frilled	Early May	4-5'	Rounded, full	Sun/part shade; heat tolerant
Blue Ridge	Purple blue	May	4'	Bushy column; aromatic foliage	Sun/part shade
Bluette	Hyacinth blue	Late May	2-3'	Vase-like	Likes sun
Blutopia	Strong purple w/ yellow spots	June	4-5'	Broad upright	Part shade
Bob's Blue	Electric blue-purple; profuse	Early May	4-5'	Round, compact	Part shade
<i>R. campylogynum</i> Cremastum Group	Varying shades of purple; bell-shaped	Late March	24-30"	Dense, upright	Sun/part shade
<i>R. campylogynum</i> Myrtilloides Group	Rosy-purple; wide, bell-shaped	Mid April	10-12"	Dense	Sun/part shade
Centennial Celebration	Orchid with frilly edges	May	3-4'	Rounded	Sun/part shade
Crater Lake	Brilliant blue	Late April	4-5'	Rounded	Part shade
Crete	Magenta buds open light purple	Late April	3-4'	Rounded	Sun/part shade
Edith Bosley	Darkest purple w/ black blotch	Early May	4-5'	Upright	Sun/part shade
Ernie Dee	Light purple, frilled	Late April	12-24"	Spreading, low	Part shade
Goldflimmer	Purple; foliage edged gold	Late April	2-3'	Rounded	Sun/part shade
Ilam Violet	Deep violet blue	Early May	3-4'	Upright, rounded	Sun/part shade
<i>R. impeditum</i> *	Purple-blue; very profuse	Late April	10-12"	Spreading, dense	Sun/part shade
<i>R. impeditum</i> Litangense Group	Blue flowers	Late April	1-2'	Rounded	Likes sun
<i>R. impeditum</i> (SEH8253)	Purple-blue; very profuse	Late April	2'	More upright than species	Sun/part shade
<i>R. intricatum</i> *	Tubular, lavender to mauve	April	18-24"	Dense	Sun/part shade
Intrifast	Electric blue	Early April	18-24"	Mounding	Sun/part shade
Karin Seleger	Violet	April	2-3'	Rounded	Sun/part shade
<i>R. keleticum</i> *	Deep purple w/ red spots	Early May	10-12"	Compact, round	Sun/part shade
<i>R. keleticum</i> (prostrate form)	Deep purple w/ red spots	Early May	6-10"	Spreading 1-2'	Sun/part shade
<i>R. kiusianum</i> 'Orchid'	Lavender	Mid May	18-24"	Compact, round	Part shade
Lackamas Blue	Rosy blue	April	5-6'	Rounded	Sun/part shade
<i>R. macrosepalum</i> 'Linearfolium'	Purple; narrow foliage	May/June	2-3'	Rounded	Part shade
Midnight	Red-purple w/ red spots	May	5'	Rounded	Part shade
Mood Indigo	Deep blue-purple	April	4-5'	Compact upright	Sun/part shade
Night Editor	Dark violet	Late March	3-4'	Upright	Sun/part shade
Northern Starburst	Lavender	Late March	3-4'	Upright	Sun/part shade
Oceanlake	Deep violet-blue; profuse	Late April	24-30"	Rounded, dense	Sun/part shade
<i>R. pemakoense</i> *	Pale lavender to pink-purple	Feb/March	12-24"	Rounded	Sun/part shade
<i>R. ponticum</i> 'Variegatum'	Lilac to reddish-purple, spotted; variegated foliage	Early June	3-4'	Rounded, full	Part shade
PJM	Lavender-pink; profuse	Early March	3-4'	Rounded, upright	Sun/part shade
PJM Compacta	Lavender-pink; profuse	Early March	2-3'	Round, compact	Sun/part shade
PJM Elite	Lavender-pink; profuse	Early March	3-4'	Rounded, upright	Sun/part shade
PJM Regal	Lavender-pink; profuse	Early March	4-5'	Rounded, upright	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

<b>PURPLES, BLUES, AND</b>	<b>LAVENDERS (contd.)</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Purple Gem	Deep violet, profuse	Late April	1-2'	Rounded, dense	Sun/part shade
Purple Passion	Rich deep purple	Mid May	6'	Vaselike	Sun/part shade
Purple Splendour	Darkest purple w/ black blotch	Late May	4-5'	Rounded, open	Sun/part shade
<i>R. radicans</i> *	Purple	Late April	1-2'	Rounded	Part shade
Ramapo	Deep violet; very profuse	Late April	18-24"	Round, compact	Likes sun
Red Eye	Reddish purple w/ red eye	Late April	4-5'	Rounded	Sun/part shade
<i>R. saluenense</i> *	Purple w/ crimson spots	Late April	12-18"	Rounded, low	Part shade
Señora Meldon	Purple-blue w/ green spots; aromatic foliage	May	4'	Upright, dense	Part shade
Songbird	Glowing bright blue	Late March	2-3'	Round, compact	Part shade
Star Sapphire	Purple-blue w/ white center	Late April	3'	Rounded	Sun/part shade
Thunder	Dark, purplish pink; aromatic foliage; 'PJM' seedling	Late April	3'	Upright, spreading	Requires full sun
<i>R. trichanthum</i> (syn. <i>R. villosum</i> ) *	Rose-purple to light purple; new leaves w/ pretty bristles	Early June	6'	Broadly upright	Part shade
Vibrant Violet	Bright blue; profuse	Late May	2-3'	Upright, rounded	Sun/part shade
Wojnar's Purple	Red-purple, dark edge & flare	Late May	3-4'	Rounded	Sun/part shade
<b>YELLOWS AND</b>	<b>ORANGES</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Bambino	Peach w/ yellow & red tones	Early May	2-3'	Rounded, dense	Sun/part shade
Buttermint	Pastel yellow w/ pink edges	Early May	3-4'	Vaselike	Part shade
Canadian Sunset	Salmon-orange w/ yellow center	Early May	2-3'	Round, compact	Part shade
Chiffchaff	Lemon yellow	Early May	18-24"	Rounded	Part shade
Chikor	Rich yellow; small, profuse	Late April	12-18"	Semi-open	Likes full sun
<i>R. concatenans</i> *	Apricot w/ yellow; bell-shaped	May	30-36"	Upright	Part shade
Curlew	Bright yellow; large, profuse	Late April	1-2'	Dense mounding	Part shade
Earl Murray	Salmon-orange	May	5-6'	Upright	Sun/part shade
Fabia	Soft orange w/ yellowish hues	Early May	2-3'	Round, compact	Sun/part shade
<i>R. fletcherianum</i> *	Radiant yellow	Late April	2-3'	Rounded	Part shade
Fortune	Yellow w/ red blotch; huge flower trusses; long leaves	Mid April	5-6'	Rounded	Part shade; protect from wind
Gleam	Tubular, salmon pink, yellow within; new leaves bluish	Late May	6'	upright	Part shade
Glowing Gold	Red buds open to butter-yellow flowers; white indumentum	Late April	3'	compact	Part shade
Goldbukket	Creamy yellow w/red marks	Mid April	3-4'	Rounded	Sun/part shade
Golden Gate	Reddish pink w/orange throat	Mid May	2-3'	Dense, compact	Part shade
Golden Ruby	Deep yellow	Late April	3-4'	Rounded	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj

<b>YELLOWS AND</b>	<b>ORANGES (continued)</b>	<b>BLOOMS</b>	<b>HT</b>	<b>HABIT</b>	<b>SUN/SHADE</b>
Goldilocks	Bright yellow	Late April	18-24"	Rounded	Sun/part shade
Goldkrone	Light pure yellow	May	5'	Rounded	Sun/part shade
<i>R. hanceanum</i> Nanum Grp	Cream to yellow	Late April	2-3'	Upright, open	Part shade
Hansel	Salmon-orange	Early May	2-3'	Rounded	Sun/part shade
Honey Butter	Yellow-orange	Early May	4-5'	Upright	Part shade
Horizon Monarch	Banana yellow from pink buds	Mid April	5-6'	Rounded	Sun/part shade
Hotei	Canary yellow; round truss	Early May	2-3'	Round, compact	Sun/part shade
Laramie	Cream	Early April	3-4'	Rounded	Part shade
Lemon Dream	Lemon yellow, wavy petals	Early May	30-36"	Upright	Part shade
<i>R. lutescens</i> *	Bright yellow; red new growth	Mid April	4-5'	Upright	Sun/part shade
<i>R. luteum</i> *	Yellow; tubular; fragrant	May/June	3-4'	Rounded	Sun/part shade
<i>R. luteum</i> (#2)	Yellow; tubular; fragrant; new leaves blue-green	May/June	3-4'	Rounded	Sun/part shade
<i>R. luteum</i> 'Golden Comet'	Vivid yellow with darker throat; tubular, fragrant	May/June	3-4'	Rounded	Sun
<i>R. macabeanum</i> *	Yellow w/purple blotch	April	5-6'	Upright treelike	Part shade
<i>R. macabeanum</i> (beige indumentum form)	Yellow w/purple blotch	April	5-6'	Upright treelike	Part shade; protect from wind
Mango Tango	peach w/ red-orange	May	4'	Rounded	Part shade
Many Moons	sulfur yellow with wavy edges; looks double	May	4'	Upright	Part shade
Mary Fleming	Small, bisque yellow w/ salmon streaks; winter foliage bronze	Late April	2-3'	Dwarf, low, spreading, twiggy	Full sun/part shade
Medusa	Orange with red markings	Early May	2-3'	Compact	Part shade
Nancy Evans	Gold-yellow w/amber tones	Early May	3-4'	Rounded, full	Part shade
Odee Wright	Bright yellow	Early May	3-4'	Compact	Sun/part shade
Paprika Spiced	Creamy w/orange-red freckles	Early May	30-42"	Rounded	Part shade
Patty Bee	Pastel lemon yellow	Late April	24-30"	Rounded	Sun/part shade
Peter Bee	Pale greenish yellow	Late April	18-22"	Round, compact	Part shade
Princess Anne	Light yellow	Early May	18-24"	Round, compact	Sun/part shade
Ring of Fire	Yellow w/orange-red edging	Mid May	3-4'	Rounded, dense	Part shade
Seaview Sunset	Yellow and red	Early May	30-36"	Compact	Part shade
September Song	Warm orange w/pinkish edge	Early May	4-5'	Broad & full	Part shade
Shamrock	Chartreuse; very profuse	Mid April	10-15"	Round, compact	Sun/part shade
Top Banana	Rich yellow; round truss	April	3-4'	Round, compact	Sun/part shade
Twilight Sun	Yellow & salmon	Late April	3-4'	Compact	Part shade
Unique	Pink buds fading pale yellow	Late April	3-4'	Round, compact	Part shade
Unique × Orange Marmalade	Orange and light pink bicolor	Early May	3-4'	Round, neat	Sun/part shade
<i>R. wardii</i> *	Yellow; attractive foliage	Early May	3-4'	Rounded	Part shade
Whitney's Late Orange	Deep solid orange	June	3-4'	Upright	Sun/part shade
Whitney's Orange	Beautiful rose orange	Late May	2-3'	Rounded, full	Sun/part shade
Wren	Clear yellow	Mid April	10-12"	Creeping	Part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species\* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 02/2010 clj