

SKY NURSERY

RHODODENDRON LIST 2012

NAME	FLOWER	BLOOM TIME	HT	HABIT	SUN/ SHADE
PINKS					
<i>R. aberconwayi</i> *	Pink to white w/ red spots	Mid April	2-3'	Upright, open	Sun/part shade
Anita Gehrich	Deep pink, frilly	Late May	3-4'	Rounded	Part shade
Anna Rose Whitney	Rosy pink; large truss	Late May	5-6'	Upright, tall	Sun/part shade
Bruce Brechtbill	Pastel pink w/ yellowish tint	Late April	4-5'	Round, dense	Sun/part shade
<i>R. bureavii</i> × <i>yakushmanum</i> *	Pale pink from pink buds; rust-colored indumentum	May	3'	Compact, rounded	Sun/part shade
Cadis	Light pink	Late May	4-5'	Round	Part shade
<i>R. campanulatum</i> var <i>aeruginosum</i> *	Pink to mauve to plum purple; superior foliage	Early May	2'	Compact	
Chemainus	Hot pink			Excellent brown indumentum	
Christmas Cheer	Light pink; slightly frilled	Late Feb.	3-4'	Round, dense	Sun/part shade
Cilpinense	Shell pink; trumpet shaped	Early April	2-3'	Low, rounded	Sun/part shade
Cilpinense Pink	Clear pink; trumpet shaped	Late March	2-3'	Low, rounded	Sun/part shade
Coral Mist	Pink and cream, darker edges	May	3-4'	Compact	Part shade
Cosmopolitan	Pink with deep red blotch	Late May	4-5'	Rounded	Sun/part shade
<i>R. davidsonianum</i> 'Ruth Lyons'	Clear deep pink, funnel-shaped	Late April	5-6'	Upright, open	Part shade
Dreamland	Pale pink	Early May	3-4'	Rounded	Part shade
Ebony Pearl	Pale pink	May	3-4'	Striking red new foliage	Sun/part shade
<i>R. elegantulum</i> *	Pale pinkish purple or white with crimson spots; 10-20 flowers per truss	May	3-4'	Leaves have pink indumentum turning brown	Sun/part shade
Elmer's Orphan	Strong pink; holds color well	Late May	2-3'	Compact	Sun/part shade
Elsie Watson	Purplish pink w/ purple blotch, darker picotee edge	Late April	3-4'	Rounded	Sun/part shade
Elya	Glowing Rose	Late March	3-4'	Rounded	Part shade
<i>R. ferrugineum</i> *	Small, tubular, rose to white	Early May	18-24"	Compact	Sun/part shade
Freckled Friend	Light pink w/ deep pink freckles	Mid May	3-4'	Compact, rounded	Part shade
Gartendirektor Glocker	Deep pink w/deeper edge	Late April	30-36"	Mounding	Sun/part shade
Ginny Gee	Pink dappled white	Late April	18-24"	Low, rounded	Part shade
Haaga	Clear pink, frilly	Late May	3-5'	Compact	Part shade
Hallelujah	Rose-red; handsome foliage; protect from wind	May	4'	Rounded	Part shade
Hardijzer's Beauty	Bright pink	Late April	2-3'	Upright	Sun/part shade
<i>R. hodgsonii</i> *	Deep pink to purple or red	April	5'	Upright to round	
Honsu's Baby	Pale pink	Early April	12-15"	Spreading	Sun/part shade
Ignatius Sargent	Dark pink w/red markings, scented	Late May	5-7'	Sprawling, vigorous	Part shade
<i>R. irroratum</i> 'Polka Dot'*	Pink w/ red dots	May	4-5'	Rounded	Part shade
Jefferson Centennial	2" pale pink bells	Mid April	1-3'	Rounded	Sun/part shade
Kabarett	Lilac-pink w/ burgundy blotch	Mid May	4-5'	Rounded	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

PINKS (continued)	FLOWER	BLOOMS	HT	HABIT	SUN/SHADE
Ken Janeck	Very light pink; frilled	Early May	2-3'	Rounded, dense	Sun/part shade
<i>R. kesangiae</i> var <i>kesangiae</i> *	Rose to pink fading purple	May	7'	Upright	
Kimberly	Medium pink; fragrant; profuse	Mid April	30-36"	Rounded	Sun/part shade
Kimbeth	Rosy pink; very profuse	Late April	2-3'	Compact, rounded	Part shade
Lem's Cameo	Beautiful creamy peach-pink	Early May	4-5'	Upright, rounded	Sun/part shade
Liz Ann	Pastel pink	Early May	12-18"	Rounded	Part shade
Lori Eichelser	Cherry pink; bell shaped	Late April	18-24"	Mounding	Part shade
<i>R. makinoi</i> × <i>pachysanthum</i> *	Light pink	May	30-36"	Tan indumentum silver tomentum	Sun/part shade
Mardi Gras	Pale pink; rust indumentum	Early May	2-4'	Rounded	Part shade
Mission Bells	Pale pink	Late April	3-4'	Rounded	Part shade
Molly Ann	Deep rose; very prolific	Late April	18-24"	Rounded, dense	Sun/part shade
Morning Bells	Pale clear pink, bell shaped	April	18-24"	Compact	Part shade
Mountain Majesty	Rosy pink; narrow leaves w/ indumentum	Late April	4'	Rounded	Part shade
Mrs. Charles E. Pearson	Light pink w/ brown spots	Early May	5-7'	Upright, open	Sun/part shade Tolerates heat
Mrs. Furnivall	Light pink w/ strong blotch	Late May	3-4'	Rounded, full	Sun/part shade
<i>R. mucronulatum</i> 'Cornell Pink'	Clear pink	Late February	5-6'	Upright, airy, deciduous	Part shade
<i>R. mucronulatum</i> 'Dwarf Form'	Lavender pink	February	12-18"	Low, spreading	Part shade
Must Bee	Deep pink w/paler throats	May	2'	Compact; small foliage	
<i>R. myrtifolium</i> *	Small, mauve-pink trumpets	Early June	2-3'	Rounded, dense	Heat tolerant
Naselle	Apricot to cream w/pink edges	May	4-5'	Rounded	Part shade
Olga Mezitt	Clear purplish pink	Late April	2-3'	Rounded	Sun/part shade
<i>R. orbiculare</i> *	Rose pink	May	2-3'	Rounded	Sun/part shade
<i>R. pachysanthum</i> *	Light pink to white, spotted	March-April	30-36"	Compact, dense	Sun/part shade
Paul R. Bosley	Medium pink, red blotch; large	Late April	3-4'	Rounded	Sun/part shade
Peggy Roberts	Pale pink, purplish-pink edges		2-3'	Dense	
Percy Wiseman	Pink buds open apricot, turn pale pink with yellow blotch	Late April	2-3'	Rounded, compact	Sun/part shade
Pink Pinwheels	Pale pink to white edged cerise	Early May	5'		
<i>R. racemosum</i> *	White to pale pink; rose buds	April	2-3'	Upright, open	Sun/part shade
<i>R. racemosum</i> 'Rock Rose'	Clear pink	April	4-5'	Upright, open	Sun
Rocket	Coral pink w/blotch; frilled	Early May	4-5'	Oval, dense	Sun/part shade
<i>R. rubiginosum</i> *	Rose pink	April	5-6'	Open small tree	Sun/part shade
Seta	Pink bells, pale w/ dark edges	Late March	5-6'	Upright	Sun/part shade
Sneezy	Soft pink, darker on edges	Early May	2-3'	Compact, rounded	Part shade
<i>R. stenopetalum</i> <i>Linearifolium</i> *	Lilac-pink to rose-purple, spidery	Late May	3'	Unusual narrow foliage	
Surrey Heath	Pink w/ cream throat; yak cross	May	2-3'	Rounded	Sun/part shade
<i>R. sutchuenense</i> var. <i>geraldii</i> *	Pale pink to rose-lilac bells w/ glossy black-purple blotch	March	5-8'	Open, upright	Part shade
Teddy Bear	Light pink fading to white	Late April	2-3'	Rounded, dense	Sun/part shade
Trude Webster	Beautiful clear pink; giant trusses	Early May	4-5'	Rounded, full	Sun/part shade
Virginia Richards	Opens pink, turns yellow w/ crimson speckles; unusual	Early May	3-4'	Compact, rounded	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

PINKS (continued)	FLOWER	BLOOMS	HT	HABIT	SUN/SHADE
Weston's Aglo (aka Aglo)	Light pink w/ reddish eye	Late April	30-36"	Low, upright	Sun
Yaku Prince	Deep pink, aging to pale pink	May-June	3-4'	Compact, rounded	Part shade
Yaku Princess	Blossom pink w/ green spots	Late May	2-3'	Mounding, dense	Part shade
Yaku Sunrise	Pink with rose edges. reverse	Early May	1-2'	Compact	Part shade
Yummy Yak	Peachy pink	April	2-3'	Compact, rounded	Sun/part shade
<i>R. yunnanense</i> *	Pink to white to lavender	Late April	4-6'	Upright	Sun/part shade
WHITES	FLOWER	BLOOMS	HT	HABIT	SUN/SHADE
Angel Glow	Pink buds open glowing white	Late April	18-24"	Compact	Part shade
Berg's Queen Bee	White from pink buds	Late April	18-24"	Compact	Sun/part shade
Blewbury	White w/rose freckles, pink buds	May	2'	Rounded	Part shade
<i>R. bureavii</i> *	White brushed with crimson	Early May	3-4'	Rounded	Part shade
<i>R. caucasicum</i> *	Creamy white	Late April	30-36"	Rounded	Sun/part shade
Cherry Cheesecake	Bicolor: white with red edges and a red blotch	May	5'	Rounded	Part shade
Cinnamon Bear	White w/purple-red spots	Early May	2'		
Cunningham's White	White w/ green-yellow blotch	Late May	3-4'	Compact, rounded	Sun/part shade
Dora Amateis	Pure white; spicy fragrance	Late April	30-36"	Rounded, dense	Sun/part shade
<i>R. edgeworthii</i> 'Darjeeling Jewel'*	White or pink; fragrant	April	2-3'	Upright	Part shade
Else Frye	White with yellow blotch	Late March	3-4'	Rounded	Sun/part shade
Emerald Ice	White to pink				
<i>R. formosum</i> *	White	Late April	4-5'	Upright	Part shade
<i>R. globigerum</i> *, aka <i>R. alutaceum</i> var <i>alutaceum</i>	White flushed pink or lilac	Early May	3'		
Gomer Waterer	Pink buds open pearly, turning pure white; golden blotch	Late May	5-6'	Rounded, dense	Sun/part shade tolerates heat
Harvest Moon	Creamy white; reddish flare	Early May	4-5'	Upright	Sun/part shade
Jolly Jim	White	Mid May			
June Bee	Yellowish white touched pink	April	2'		
Kodiak	Bright white; tight trusses	Late April	3-4'	Round, dense	Part shade
<i>R. kiusianum</i> 'White'*	Pure White	Mid May	18-24"	Compact, round	Part shade
Lucy Lou	Pure white; profuse	Late March	2-3'	Upright, rounded	Part shade
Marissa	White w/pink-red throat	Late May	2'		
<i>R. megaratum</i> *	Bell shaped; creamy to yellow	Late April	12-24"	Compact mound	Part shade
<i>R. metternichii</i> × <i>adenopodum</i> *	White with pink spots	Early May	4'	Rounded; leaves narrow w/ fawn indumentum	Part shade
Mrs. T.H. Lowinsky	White w/ striking brown blotch	Early June	4-5'	Rounded, open	Sun/part shade
<i>R. nuttallii</i> *	White w/yellow blotch, fragrant	May	5'		
Opal Luster	Yellowish white w/pink edges	Early May	5'		
<i>R. openshawianum</i> *	White	April	5-6'	Upright, treelike	Part shade
<i>R. proteoides</i> *	White flushed pink	Early May	1'	Very dwarf	
<i>R. recurvum</i> *	White with crimson spots	Late April	3'	Upright; narrow pointed leaves	Part shade
<i>R. rex</i> *	Tubular flowers, white to rose w/crimson spots		12-16'	Upright; leaves 20" w/ heavy indumentum	Part shade
<i>R. rex</i> spp <i>fictolacteam</i> *	White to pink or lilac w/crimson spots	April	5-6'	Upright; good indumentum	Part shade
<i>R. rigidum</i> *	Fragrant, white or lilac	May	6'	Erect	

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

WHITES (continued)	FLOWER	BLOOMS	HT	HABIT	SUN/SHADE
<i>R. roxieanum</i> Branklyn Form *	Bell shaped; white to pale pink	April	2-3'	Compact; good indumentum	Sun/part shade
Silver Bear	White	Late May	2-3'	Compact	Part shade
<i>R. sinogrande</i> *	White w/ red eye	Mid March	5-6'	Upright	Part shade
Sir Charles Lemon	Ivory white	Late April	4-5'	Open	Part shade
Snow Lady	White; slightly fragrant	Late March	24-30"	Rounded, dense	Sun/part shade
<i>R. yaku</i> 'Angel'	Pure white	Late April	2-3'	Rounded	Part shade
REDS	FLOWER	BLOOMS	HT	HABIT	SUN/SHADE
Baden-Baden	Glowing red w/darker center	Early May	18-24"	Spreading, full	Part shade
<i>R. beanianum</i> (Sinclair 7-327)	Selection with crimson, bell-shaped flowers	April	3-5'	Rusty orange indumentum	Part shade
Blitz	Dark red	Early May	2-3'	Rounded	Sun/part shade
<i>R. calostrotum</i> 'Gigha'*	Rosy red, funnel shaped	May	2-3'	Spreading, low	Part shade
Carmen	Deep red	Late April	10-12"	Spreading	Part shade
<i>R. cinnabarinum</i> ssp. Blandfordiiflorum*	Tubular, blood-red tipped with gold	May	5-6'	Upright, open	Part shade
<i>R. cinnabarinum</i> Roylei Group*	Tubular, blood-red inside, currant-red outside	May	5-6'	Upright, open	Part shade
Crimson Pippin	Crimson fading red	Early May	2-3'	Rounded	Part shade
Ethel	Scarlet	May	18" by 3-4' w.	Spreading	Sun/part shade
Fire Rim	Purplish-red w/ yellow interior	Early May	2-3'	Low, spreading	Sun/part shade
Firestorm	Deep red	Late April	36-42"	Dense mounding	Sun/part shade
<i>R. forrestii</i> var <i>tumescens</i> *	Crimson bells	Mid April	12-16"	Mounding	Part shade
Grace Seabrook	Bright red	Early April	3-4'	Rounded	Sun/part shade
Hillcrest	Bright red	Late May	5'		
(The Honourable) Jean Marie de Montague	Bright red; some say the best red rhody ever bred	Early May	4-5'	Rounded, full	Sun/part shade
Lord Roberts	Dark red w/black blotch	Late May	4-5'	Rounded, upright	Sun
Marlene Peste	Vivid red, unfading	May	30-36"	Dense upright	Sun/part shade
Mary Briggs	Blood red	May	2'	Low and open	Sun/part shade
Miss Frances	Vivid cerise red	May	5'		
Ostbo's Elizabeth	Flame red; new growth is red	Late April	2-3'	Mounding, dense	Sun/part shade
Patriot's Dream	Red	May	18-24"	Compact	Part shade
Peekaboo	Red	Late April	18-24"	Mounding	Part shade
Pomegranate Splash	Red and white with purplish blotch		3-4'	Upright	Morning sun/part shade
President Roosevelt	Beautiful red w/white throat	Late April	3-4'	Rounded, full	Sun/part shade
Rangoon	Moderate to dark red	Early May	3'		
Sea-Tac	Deep cerise red, very open	April	2'	Rounded	
<i>R. spinuliferum</i> *	Red to pink, tubular, upright flowers	May	3-4'	Upright	Sun/part shade
Taurus	Red w/black speckles; large	Late April	5-6'	Large and full	Sun/part shade
Titian Beauty	Bright red	Early May	2-3'	Compact, rounded	Part shade
Trilby	Deep crimson, black blotch	Late May	4-5'	Rounded, full	Sun/part shade
Voluptuous	Red and pink w/yellow star		4-5'	Upright, dense	
Vulcan	Flame red; rounded truss	Late May	4-5'	Round, dense	Sun/part shade
War Dance	Currant red; black blotch		3-4'	Upright	Sun/part shade
Wee Bee	Red with strong pink center	May	10-12"	Mounding	Part shade
Winsome	Rose-red; dense and profuse	Late April	30-36"	Round, compact	Sun/part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

PURPLES, BLUES, AND LAVENDERS	BLOOMS	HT	HABIT	SUN/SHADE	
Amibluë	Medium blue, funnel-shaped	May	5-	Sun/part shade	
Anah Kruschke	Deep red-purple; conical truss	Late May	4-6'	Upright, full	Sun/part shade
<i>R. augustinii</i> 'Berg's Hardy'	Blue; bell-shaped	Mid April	4-5'	Upright, open	Sun/part shade
<i>R. augustinii</i> 'Blue Cloud'	Blue-purple flowers; noted for recurved petals	Late April	5-6'	Upright, open	Sun/part shade
<i>R. augustinii</i> 'Electra'	Bright blue; bell-shaped	Late April	5-6'	Upright, open	Sun/part shade
<i>R. augustinii</i> 'Towercourt'	Violet-blue; bell-shaped	Late April	5-6'	Upright, open	Sun/part shade
Blaney's Blue	Bright electric blue	Late April	4-5'	Upright, dense	Sun/part shade
Blue Baron	Vivid violet		30-36"	Compact	Sun/part shade
Blue Diamond	Bright blue; small, profuse	Late April	30-36"	Upright, dense	Likes sun
Blue Jay	Light lavender w/brown blotch	Late May	4-5'	Rounded, full	Sun/part shade
Blue Peter	Lilac w/purple blotch; frilled	Early May	4-5'	Rounded, full	Sun/part shade heat tolerant
Blue Ridge	Purple blue	May	4'	Bushy column; aromatic foliage	Sun/part shade
Bluette	Hyacinth blue	Late May	2-3'	Vase-like	Likes sun
Blutopia	Strong purple w/ yellow spots	June	4-5'	Broad upright	Part shade
Bob's Blue	Electric blue-purple; profuse	Early May	4-5'	Round, compact	Part shade
<i>R. campanulatum</i> *	Lilac; superior foliage	Late April	3-4'	Upright	Part shade
<i>R. campylogynum</i> * Myrtilloides Group	Rosy-purple; wide, bell-shaped	Mid April	10-12"	Dense	Sun/part shade
<i>R. cinnabarinum</i> ssp. tamaense*	Tubular, pale purple	May	5-6'	Upright, open	Part shade
Crater Lake	Brilliant blue	Late April	4-5'	Rounded	Part shade
Daphnoides	Light purple w/tan markings	Late May	4'		
Edith Bosley	Darkest purple w/ black blotch	Early May	4-5'	Upright	Sun/part shade
Frosted Plum	Light purple-dark picotee edge	May	3'		Sun/part shade
Goldflimmer	Purple; foliage edged gold	Late April	2-3'	Rounded	Sun/part shade
Ilam Violet	Deep violet blue	Early May	3-4'	Upright, rounded	Sun/part shade
<i>R. impeditum</i> *	Purple-blue; very profuse	Late April	10-12"	Spreading, dense	Sun/part shade
<i>R. impeditum</i> Litangense Group*	Purple-blue flowers, profuse	Late April	1-2'	Rounded	Likes sun
<i>R. impeditum</i> (SEH8253)	Purple-blue; very profuse	Late April	2'	More upright than species	Sun/part shade
<i>R. intricatum</i> *	Tubular, lavender to mauve	April	18-24"	Dense	Sun/part shade
Isola Bella	Light lavender aging white/pink	Early May	5'		
<i>R. keleticum</i> *	Deep purple w/ red spots	Early May	10-12"	Compact, round	Sun/part shade
<i>R. kiusianum</i> 'Orchid'*	Lavender	Mid May	18-24"	Compact, round	Part shade
Lackamas Blue	Rosy blue	April	5-6'	Rounded	Sun/part shade
Lee's Dark Purple	Dark purple w/yellow blotch	Late May	5-7'	Upright, rounded	Sun/part shade
Oceanlake	Deep violet-blue; profuse	Late April	24-30"	Rounded, dense	Sun/part shade
<i>R. pemakoense</i> *	Pale lavender to pink-purple	Feb/March	12-24"	Rounded	Sun/part shade
PJM	Lavender-pink; profuse	Early March	3-4'	Rounded, upright	Sun/part shade
PJM Compacta	Lavender-pink; profuse	Early March	2-3'	Round, compact	Sun/part shade
PJM K	Lavender-pink; profuse	Early April	3-4'	Rounded, upright	Sun/part shade
PJM Regal	Lavender-pink; profuse	March	4-5'	Rounded, upright	Sun/part shade
Polarnacht	Very deep purple	Mid May	3'	Broad, compact	Sun/part shade
<i>R. ponticum</i> 'Variegatum'*	Lilac to reddish-purple, spotted; variegated foliage	Early June	3-4'	Rounded, full	Part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

PURPLES, BLUES,	AND LAVENDERS (contd.)	BLOOMS	HT	HABIT	SUN/SHADE
Purple Passion	Rich deep purple	Mid May	6'	Vaselike	Sun/part shade
Purple Splendour	Darkest purple w/ black blotch	Late May	4-5'	Rounded, open	Sun/part shade
<i>R. radicans</i> *	Purple	Late April	1-2'	Rounded	Part shade
Ramapo	Deep violet; very profuse	Late April	18-24"	Round, compact	Likes sun
Roseum elegans	Rosy lavender	Late May	6-8'	Tall, spreading	Part shade
<i>R. saluenense</i> *	Purple w/ crimson spots	Late April	12-18"	Rounded, low	Part shade
<i>R. searsiae</i> *	Rose purple to white	Early May	6'		
Señora Meldon	Purple-blue w/ green spots; aromatic foliage	May	4'	Upright, dense	Part shade
Songbird	Glowing bright blue	Late March	2-3'	Round, compact	Part shade
<i>R. tricanthum</i> var. <i>villosum</i> *	Rose to purple, paler blotch, bristly on lower part	Early May	4-5'	Open, upright	Sun/part shade
Vibrant Violet	Bright blue; profuse	Late May	2-3'	Upright, rounded	Sun/part shade
<i>R. wallichii</i> *	Lilac w/rose spots	Late April	3-4'	Upright	Part shade
YELLOWS AND	ORANGES	BLOOMS	HT	HABIT	SUN/SHADE
Amber Lantern	Pale yellow, green spots	March	3-4'	Spreading	Sun/part shade
Bud's Yellow	Light yellow, fragrant	Late April	4-5'		Sun/part shade
Buttered Popcorn	Yellow with dark eye	Early June	4-5'	Rounded	Part shade
Canadian Sunset	Salmon-orange w/ yellow center	Early May	2-3'	Round, compact	Part shade
Chiffchaff	Lemon yellow	Early May	18-24"	Rounded	Part shade
Chikor	Rich yellow; small, profuse	Late April	12-18"	Semi-open	Likes full sun
<i>R. concatenans</i> *	Apricot w/ yellow; bell-shaped	May	30-36"	Upright	Part shade
Conroy	Tubular, peach flushed rose	May	5'	Upright	
Cream Crest	Pale yellow	Late April	30-36"	Rounded	Sun/part shade
Earl Murray	Salmon-orange	May	5-6'	Upright	Sun/part shade
<i>R. fletcherianum</i> *	Radiant yellow	Late April	2-3'	Rounded	Part shade
Glowing Gold	Red buds open to butter-yellow flowers; white indumentum	Late April	3'	compact	Part shade
Golden Gate	Reddish pink w/orange throat	Mid May	2-3'	Dense, compact	Part shade
Golden Ruby	Deep yellow	Late April	3-4'	Rounded	Sun/part shade
Golden Torch	Pastel yellow; pink buds	Late May	2-3'	Rounded	Part shade
Goldilocks	Bright yellow	Late April	18-24"	Rounded	Sun/part shade
Goldkrone	Light pure yellow	May	5'	Rounded	Sun/part shade
Goldstrike	Light yellow w/bright yellow upper lobes	May	4'		
<i>R. hanceanum</i> Nanum Grp *	Cream to yellow	Late April	2-3'	Upright, open	Part shade
Hansel	Salmon-orange	Early May	2-3'	Rounded	Sun/part shade
Holy Moses!	Pale orange w/yellow center	Late May	3-4'	Round, compact	Sun/part shade
Honey Butter	Yellow-orange	Early May	4-5'	Upright	Part shade
Horizon Monarch	Banana yellow from pink buds	Mid April	5-6'	Rounded	Sun/part shade
Hotei	Canary yellow; round truss	Early May	2-3'	Round, compact	Sun/part shade
Laramie	Cream	Early April	3-4'	Rounded	Part shade
Lemon Dream	Lemon yellow, wavy petals	Early May	30-36"	Upright	Part shade
<i>R. lutescens</i> *	Bright yellow; red new growth	Mid April	4-5'	Upright	Sun/part shade
Mango Tango	peach w/ red-orange	May	4'	Rounded	Part shade
Mindy's Love	Yellow-orange; pink buds	Late April	36-40"	Rounded	Part shade
Moonstone	Creamy yellow; profuse bells	Late April	3-4'	Compact mound	Sun/part shade
Nancy Evans	Gold-yellow w/amber tones	Early May	3-4'	Rounded, full	Part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW

SKY NURSERY

YELLOWS AND	ORANGES (contd.)	BLOOMS	HT	HABIT	SUN/SHADE
Odee Wright	Bright yellow	Early May	3-4'	Compact	Sun/part shade
Paprika Spiced	Creamy w/orange-red freckles	Early May	30-42"	Rounded	Part shade
Patty Bee	Pastel lemon yellow	Late April	24-30"	Rounded	Sun/part shade
<i>R. pendulum</i> *	Saucer-shaped, light yellow to cream	April	2'	Upright; foliage drooping, wooly; likes rotting logs	Part shade
Peter Bee	Pale greenish yellow	Late April	18-22"	Round, compact	Part shade
Princess Anne	Light yellow	Early May	18-24"	Round, compact	Sun/part shade
Ring of Fire	Yellow w/orange-red edging	Mid May	3-4'	Rounded, dense	Part shade
Seaview Sunset	Yellow and red	Early May	30-36"	Compact	Part shade
Shamrock	Chartreuse; very profuse	Mid April	10-15"	Round, compact	Sun/part shade
Trewithan Orange	Deep orange; pendulous	April	3-4'	Narrow, upright	Sun/part shade
Twilight Sun	Yellow & salmon	Late April	3-4'	Compact	Part shade
Unique	Pink buds fading pale yellow	Late April	3-4'	Round, compact	Part shade
Unique × Orange Marmalade	Orange and light pink bicolor	Early May	3-4'	Round, neat	Sun/part shade
<i>R. xanthocodon</i> *	Yellow; foliage aromatic, blue	Late May	5-6'	Rounded	Part shade
Yellow Petticoats	Clear yellow, frilly		4'	Rounded	Part shade

Hybrid rhododendrons are clones, therefore genetically identical. Characteristics of species* vary depending on the seed source. Heights shown are at approximately ten years. Part shade means morning sun, afternoon shade OR dappled light. All rhododendrons require humus-rich soil, organic mulch, and deep watering during summer dry spells. Bloom time varies with weather. List revised 01/2011 TW